

CSC 4103 - Operating Systems
Spring 2008


LECTURE - V
CPU SCHEDULING - I

Tevfik Koşar

Louisiana State University
January 29th, 2008

Roadmap

- CPU Scheduling
 - Basic Concepts
 - Scheduling Criteria
 - Different Scheduling Algorithms




Basic Concepts

- Multiprogramming is needed for efficient CPU utilization
- CPU Scheduling: deciding which processes to execute when
- Process execution begins with a **CPU burst**, followed by an **I/O burst**
- CPU-I/O Burst Cycle - Process execution consists of a cycle of CPU execution and I/O wait


3

Alternating Sequence of CPU And I/O Bursts



4

Histogram of CPU-burst Durations



5


CPU Scheduler

- Selects from among the processes in memory that are ready to execute, and allocates the CPU to one of them
 - short-term scheduler
- CPU scheduling decisions may take place when a process:
 1. Switches from running to waiting state
 2. Switches from running to ready state
 3. Switches from waiting to ready
 4. Terminates
- Scheduling under 1 and 4 is *nonpreemptive/cooperative*
 - Once a process gets the CPU, keeps it until termination/switching to waiting state/release of the CPU
- All other scheduling is *preemptive*
 - Most OS use this
 - Cost associated with access to shared data

6

Process State

- As a process executes, it changes *state*
 - **new**: The process is being created
 - **ready**: The process is waiting to be assigned to a process
 - **running**: Instructions are being executed
 - **waiting**: The process is waiting for some event to occur
 - **terminated**: The process has finished execution



7

Dispatcher

- Dispatcher module gives control of the CPU to the process selected by the short-term scheduler;
Its function involves:
 - switching context
 - switching to user mode
 - jumping to the proper location in the user program to restart that program
- **Dispatch latency** - time it takes for the dispatcher to stop one process and start another running

8

Scheduling Criteria

- **CPU utilization** - keep the CPU as busy as possible --> **maximize**
- **Throughput** - # of processes that complete their execution per time unit --> **maximize**
- **Turnaround time** - amount of time to execute a particular process --> **minimize**
- **Waiting time** - amount of time a process has been waiting in the ready queue --> **minimize**
- **Response time** - amount of time it takes from when a request was submitted until the first response is produced, **not** output (for time-sharing environment) --> **minimize**

9

Optimization Criteria

- Max CPU utilization
- Max throughput
- Min turnaround time
- Min waiting time
- Min response time


10

First-Come, First-Served (FCFS) Scheduling

<u>Process</u>	<u>Burst Time</u>
P_1	24
P_2	3
P_3	3

- Suppose that the processes arrive in the order: P_1 , P_2 , P_3

The Gantt Chart for the schedule is:



- Waiting time for $P_1 = 0$; $P_2 = 24$; $P_3 = 27$
- Average waiting time: $(0 + 24 + 27)/3 = 17$


11

FCFS Scheduling (Cont.)

Suppose that the processes arrive in the order

P_2 , P_3 , P_1

- The Gantt chart for the schedule is:



- Waiting time for $P_1 = 6$; $P_2 = 0$; $P_3 = 3$
- Average waiting time: $(6 + 0 + 3)/3 = 3$
- Much better than previous case
- *Convoy effect* short process behind long process

12

Shortest-Job-First (SJF) Scheduling


- Associate with each process the length of its next CPU burst. Use these lengths to schedule the process with the shortest time
- Two schemes:
 - nonpreemptive - once CPU given to the process it cannot be preempted until completes its CPU burst
 - preemptive - if a new process arrives with CPU burst length less than remaining time of current executing process, preempt. This scheme is known as the Shortest-Remaining-Time-First (SRTF)
- SJF is optimal - gives minimum average waiting time for a given set of processes

13

Example of Non-Preemptive SJF

Process	Arrival Time	Burst Time
P_1	0.0	7
P_2	2.0	4
P_3	4.0	1
P_4	5.0	4

- SJF (non-preemptive)



- Average waiting time = $(0 + 6 + 3 + 7)/4 = 4$

14

Example of Preemptive SJF

Process	Arrival Time	Burst Time
P_1	0.0	7
P_2	2.0	4
P_3	4.0	1
P_4	5.0	4

- SJF (preemptive)



- Average waiting time = $(9 + 1 + 0 + 2)/4 = 3$

15

Priority Scheduling

- A priority number (integer) is associated with each process
- The CPU is allocated to the process with the highest priority (smallest integer \equiv highest priority)
 - Preemptive
 - nonpreemptive
- SJF is a priority scheduling where priority is the predicted next CPU burst time
- Problem \equiv Starvation - low priority processes may never execute
- Solution \equiv Aging - as time progresses increase the priority of the process

16

Round Robin (RR)

- Each process gets a small unit of CPU time (*time quantum*), usually 10-100 milliseconds. After this time has elapsed, the process is preempted and added to the end of the ready queue.
- If there are n processes in the ready queue and the time quantum is q , then each process gets $1/n$ of the CPU time in chunks of at most q time units at once. No process waits more than $(n-1)q$ time units.
- Performance
 - q large \Rightarrow FIFO

17

Example of RR with Time Quantum = 20

<u>Process</u>	<u>Burst Time</u>
P_1	53
P_2	17
P_3	68
P_4	24


- The Gantt chart is:

P ₁	P ₂	P ₃	P ₄	P ₁	P ₃	P ₄	P ₁	P ₃	P ₃	
0	20	37	57	77	97	117	121	134	154	162

- Typically, higher average turnaround than SJF, but better *response*


18

Time Quantum and Context Switch Time



19

Turnaround Time Varies With The Time Quantum



20

Exercise


Process ID	Arrival Time	Priority	Burst Time
A	0	3	20
B	5	1	15
C	10	2	10
D	15	4	5

- Draw gantt charts, find average turnaround and waiting times for above processes, considering:
 - 1) First Come First Server Scheduling
 - 2) Shortest Job First Scheduling (non-preemptive)
 - 3) Shortest Job First Scheduling (preemptive)
 - 4) Round-Robin Scheduling
 - 5) Priority Scheduling (non-preemptive)
 - 6) Priority Scheduling (preemptive)

21

Summary

- CPU Scheduling
 - Basic Concepts
 - Scheduling Criteria
 - Different Scheduling Algorithms



- Next Lecture: Project Overview
- Reading Assignment: Chapter 5 from Silberschatz.

22

Acknowledgements

- “Operating Systems Concepts” book and supplementary material by A. Silberschatz, P. Galvin and G. Gagne
- “Operating Systems: Internals and Design Principles” book and supplementary material by W. Stallings
- “Modern Operating Systems” book and supplementary material by A. Tanenbaum
- R. Doursat and M. Yuksel from UNR