

LECTURE - XIV
VIRTUAL MEMORY - II

Tevfik Koşar

Louisiana State University
March 27th, 2008

Background

- **Virtual memory** - separation of user logical memory from physical memory.
 - Only part of the program needs to be in memory for execution.
 - Logical address space can therefore be much larger than physical address space.
 - Allows address spaces to be shared by several processes.
 - Allows for more efficient process creation.
- Virtual memory can be implemented via:
 - Demand paging
 - Demand segmentation

Demand Paging

- Bring a page into memory only when it is needed
 - Less I/O needed
 - Less memory needed
 - Faster response
 - More users
- Page is needed \Rightarrow reference to it
 - invalid reference \Rightarrow abort
 - not-in-memory \Rightarrow bring to memory

Valid-Invalid Bit

- With each page table entry a valid-invalid bit is associated (1 \Rightarrow in-memory and legal, 0 \Rightarrow not-in-memory or invalid)
- Initially valid-invalid bit is set to 0 on all entries
- Example of a page table snapshot:

Frame #	valid-invalid bit
	1
	1
	1
	1
	0
⋮	
	0
	0

page table

- During address translation, if valid-invalid bit in page table entry is 0 \Rightarrow page fault

Page Fault

- If there is ever a reference to a page, first reference will trap to OS \Rightarrow page fault
- OS looks at another table to decide:
 - Invalid reference \Rightarrow abort.
 - Just not in memory.
- Get empty frame.
- Swap page into frame.
- Reset tables, validation bit = 1.
- Restart instruction: Least Recently Used
 - block move
 - auto increment/decrement location

Page Replacement

- Prevent over-allocation of memory by modifying page-fault service routine to include page replacement
- Use **modify (dirty) bit** to reduce overhead of page transfers - only modified pages are written to disk
- Page replacement completes separation between logical memory and physical memory - large virtual memory can be provided on a smaller physical memory

Page Replacement Algorithms

- Want lowest page-fault rate
- Evaluate algorithm by running it on a particular string of memory references (reference string) and computing the number of page faults on that string
- In all our examples, the reference string is 1, 2, 3, 4, 1, 2, 5, 1, 2, 3, 4, 5

First-In-First-Out (FIFO) Algorithm

- Reference string: 1, 2, 3, 4, 1, 2, 5, 1, 2, 3, 4, 5
- 3 frames (3 pages can be in memory at a time per process)

1	1	4	5
2	2	1	3
3	3	2	4

9 page faults

- 4 frames

1	1	5	4
2	2	1	5
3	3	2	
4	4	3	

10 page faults

- FIFO Replacement - Belady's Anomaly
 - more frames \Rightarrow more page faults


Least Recently Used (LRU) Algorithm

- Reference string: 1, 2, 3, 4, 1, 2, 5, 1, 2, 3, 4, 5

1	5
2	
3	5 4
4	3

- Needs hardware assistance
- Counter implementation
 - Every page entry has a counter; every time page is referenced through this entry, copy the clock into the counter
 - When a page needs to be changed, look at the counters to determine which are to change


Use Of A Stack To Record The Most Recent Page References



LRU Approximation Algorithms

- Reference bits
 - 1 byte for each page: eg. 00110011
 - With each page associate a bit, initially = 0
 - When page is referenced bit set to 1
 - Shift right at each time interval
 - Replace the one with smaller value
- Second chance
 - Need single reference bit
 - Clock replacement
 - If page to be replaced (in clock order) has reference bit = 1 then:
 - set reference bit 0
 - leave page in memory
 - replace next page (in clock order), subject to same rules

Second-Chance (clock) Page-Replacement Algorithm



Counting Algorithms

- Keep a counter of the number of references that have been made to each page
- **LFU Algorithm**: replaces page with smallest count
- **MFU Algorithm**: based on the argument that the page with the smallest count was probably just brought in and has yet to be used

Optimal Algorithm

- Replace page that will not be used for longest period of time
- 4 frames example

1, 2, 3, 4, 1, 2, 5, 1, 2, 3, 4, 5

1	4
2	
3	
4	5

6 page faults

- How do you know this?
- Used for measuring how well your algorithm performs

Acknowledgements

- “Operating Systems Concepts” book and supplementary material by A. Silberschatz, P. Galvin and G. Gagne
- “Operating Systems: Internals and Design Principles” book and supplementary material by W. Stallings
- “Modern Operating Systems” book and supplementary material by A. Tanenbaum
- R. Doursat and M. Yuksel from UNR