

LECTURE - III  
**ADVANCED STRUCTURES IN C**

Tevfik Koşar

Louisiana State University  
August 31st, 2010

## Summary of Last Class

- Basic C Programming:
  - C vs Java
  - Writing to stdout
  - Taking arguments
  - Reading from stdio
  - Basic data types
  - Formatting
  - Arrays and Strings
  - Comparison Operators
  - Loops
  - Functions

2

## In Today's Class

- Advanced Structures in C
  - Memory Manipulation in C
  - Pointers & Pointer Arithmetic
  - Parameter Passing
  - Structures
  - Local vs Global Variables
  - Dynamic Memory Management

3

## Memory Manipulation in C

- To a C program, memory is just a row of bytes
- Each byte has some value, and an address in the memory

123	2	45	254	2	66	67	234	99	1	0	0	12	92	15
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34

4

## Memory Manipulation in C

- When you define variables:

```
int count;  
unsigned char c;
```

- Memory is reserved to store the variables
- And the compiler 'remembers their location'

123	2	45	254	2	66	67	234	99	1	0	0	12	92	15
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34

"c" starts at 28  
"count" starts at 24

5

## Memory Manipulation in C

- As a result, each variable has two properties:

- 1 The '**value**' stored in the variable  
\*\* If you use the name of the variable, you refer to the variable's value
- 2 The '**address**' of the memory used to store this value  
\* Similar to a reference in Java (but not exactly the same)  
\*\* A variable that stores the address of another variable is called a **pointer**

- Pointers can be declared using the \* character

```
int *ptr;           /* Pointer to an int */  
unsigned char *ch;  /* Pointer to an unsigned char */  
struct ComplexNumber *c; /* Pointer to a struct ComplexNumber */  
int **pp;           /* Pointer to a pointer to an int */  
void *v;            /* Pointer to anything (use with care!) */
```

6

## Defining Pointers

- To use pointers, you must give them a value first
  - ▶ Like any other variable
- The '&' operator gives you the **memory address** of any variable

```
int i = 8;

int *p;      /* p is a pointer to an int */

p = &i;      /* p contains the address of variable i */

double *d = &i; /* ERROR, wrong pointer type */
```

7

## Using Pointers

- Once you have a pointer, you can access the value of the variable being pointed to using '\*'


```
int i = 8;
int *p = &i;
int j = *p;
*p = 12;
```

Attention, the '\*' sign is used for two different things:

- ▶ To **declare** a pointer variable: `int *p;`
- ▶ To **dereference** a pointer: `*p=12;`


8

## Using Pointers



9

## Using Pointers



10

## Parameter Passing in C

- In C, function parameters are passed **by value**
  - ▶ Each parameter is copied
  - ▶ The function can access the copy, not the original value

```
#include <stdio.h>

void swap(int x, int y) {
    int temp = x;
    x = y;
    y = temp;
}

int main() {
    int x = 9;
    int y = 5;
    swap(x, y);
    printf("x=%d y=%d\n", x, y);
    return 0;
}
```

11

## Parameter Passing in C

- In C, function parameters are passed **by value**
  - ▶ Each parameter is copied
  - ▶ The function can access the copy, not the original value

```
#include <stdio.h>

void swap(int x, int y) {
    int temp = x;
    x = y;
    y = temp;
}

int main() {
    int x = 9;
    int y = 5;
    swap(x, y);
    printf("x=%d y=%d\n", x, y); /* This will print: x=9 y=5 */
    return 0;
}
```

12

## Parameter Passing in C

- To pass parameters by reference, use pointers
  - The pointer is copied
  - But the copy still points to the same memory address

```
#include <stdio.h>

void swap(int *x, int *y) {
    int temp = *x;
    *x = *y;
    *y = temp;
}

int main() {
    int x = 9;
    int y = 5;
    swap(&x, &y);
    printf("x=%d y=%d\n", x, y); /* This will print: x=5 y=9 */
    return 0;
}
```

13

## Arrays and Pointers

- You can use pointers instead of arrays as parameters

```
#include <stdio.h>

void func1(int p[], int size) { }

void func2(int *p, int size) { }

int main() {
    int array[5];
    func1(array, 5);
    func2(array, 5);
    return 0;
}
```

14

## Arrays and Pointers

- You can even use array-like indexing on pointers!

```
void clear(int *p, int size) {
    int i;
    for (i=0; i<size; i++) {
        p[i] = 0;
    }
}

int main() {
    int array[5];
    clear(array, 5);
    return 0;
}
```

15

## Arrays and Pointers

- So a string is in fact just a pointer to a character array:

```
int main() {
    char s1[32] = "Hello, world!\n";
    char *s2;
    char s3[32];
    s2 = s1; /* s1 and s2 point to the same character array */
    strcpy(s3, s1); /* s3 contains a copy of s1 */
}
```

16

## Pointer Arithmetic

- Pointers are just a special kind of variable
- You can do **calculations** on pointers
  - You can use +, -, ++, -- on pointers
  - This has no equivalent in Java
- Be careful, operators work with the **size** of variable types!

```
int i = 8;
int *p = &i;
p++; /* increases p with sizeof(int) */

char *c;
c++; /* increases c with sizeof(char) */
```


17

## Pointer Arithmetic

- This is obvious when using pointers as arrays:


```
int i;
int array[5];
int *p = array;

for (i=0; i<5; i++) {
    *p = 0;
    p++;
}
```



18

## Pointer Arithmetic



19

## Structures

- You can build higher-level data types by creating structures:

```
struct Complex {
    float real;
    float imag;
};
struct Complex number;
number.real = 3.2;
number.imag = -2;

struct Parameter {
    struct Complex number;
    char description[32];
};
struct Parameter p;
p.number.real = 42;
p.number.imag = 12.3;
strcpy(p.description, "My nice number", 31);
```

20

## Pointers to Structures

- We very often use statements like:

```
(&pointer).field = value;
```

- There is another notation which means exactly the same:

```
pointer->field = value;
```

- For example:

```
struct data {
    int counter;
    double value;
};

void add(struct data *d, double value) {
    d->counter++;
    d->value += value;
}
```

21

## Enumerations

- enum is used to create a number of related constants

```
enum workdays {monday, tuesday, wednesday, thursday, friday};

enum workdays today;
today = tuesday;
today = friday;

enum weekend {saturday = 10, sunday = 20};
```

22

## Variables

- C has two kinds of variables:
  - Local (declared inside of a function)
  - Global (declared outside of a function)

```
int global;

void function() {
    int local;
}
```

23

## Static Local Variables

- Declaring a static variable means it will persist across multiple calls to the function

```
void foo() {
    static int i=0;
    i++;
    printf("i=%d\n",i); /* This prints the value of i on the screen */
}

int main() {
    int i;
    for (i=0;i<3;i++) foo();
}
```

This program will output this:

```
i=1
i=2
i=3
```

24

## Non-static Local Variables

- If *i* is not static, the same example program (from prev. slide) will output:
  - i=1
  - i=1
  - i=1

25

## Global Variables

Global variables have file scope:

```
int i=0;

void foo() {
    i++;
    printf("i=%d\n",i);
}

int main() {
    for (i=0;i<3;i++) foo();
}
```

26

## Dynamic Memory Management

- Until now, all data have been static
  - ▶ It is clear by reading the program how much memory must be allocated
  - ▶ Memory is reserved at compile time
- But sometimes you want to specify the amount of memory to allocate **at runtime!**
  - ▶ You need a string, but you don't know yet how long it will be
  - ▶ You need an array but you don't know yet how many elements it should contain
  - ▶ Sizes depend on run-time results, user input, etc.

27

## Dynamic Memory Management

- `malloc()` will allocate any amount of memory you want:

```
#include <stdlib.h>
void *malloc(size_t size);
```

- ▶ `malloc` takes a size (in bytes) as a parameter
  - ★ If you want to store 3 integers there, then you must reserve `3*sizeof(int)` bytes
- ▶ It returns a pointer to the newly allocated piece of memory
  - ★ It is of type `void *`, which means "pointer to anything"
  - ★ Do not store it as a `void *`! You should "cast" it into a usable pointer:

```
#include <stdlib.h>
int *i = (int *) malloc(3*sizeof(int));
i[0] = 12;
i[1] = 27;
i[2] = 42;
```

28

## Dynamic Memory Management

- After you have used `malloc`, the memory will remain allocated until you decide to destroy it

```
#include <stdlib.h>
void free(void *pointer);
```

- After you have finished using dynamic memory, **you must release it!**
  - ▶ Otherwise it will remain allocated (and unused) until the end of the program's execution

```
int main() {
    int *i = (int *) malloc(3*sizeof(int));
    /* Use i */
    free(i);
    /* Do something else */
}
```

29

## Dynamic Memory Management

- Unlike arrays, dynamically allocated memory can be returned from a function.

```
int *createIntArrayWrong() {
    char tmp[32];
    return tmp;
    /* WRONG! */
}

int *createIntArray(int size) {
    return (int *) malloc(size*sizeof(int)); /* CORRECT */
}

int main() {
    int *array = createIntArray(10);
    /* ... */
    free(array);
    return 0;
}
```

30

## Memory Leaks

- You must **always** keep a pointer to allocated memory
  - You need this to use it, and free it later
  - If you don't, you've got a **memory leak**
  - Memory leaks will slowly reserve all the machine memory, causing the program (or the machine) to crash eventually!

```
int main() {
    int *i = (int *) malloc(3*sizeof(int));
    i = 0;      /* Wooooops, I lost the pointer to my dynamic memory */
    free(???); /* It is too late to free my dynamic memory */
}
```

- If you run out of memory, malloc will return NULL

```
#include <stdio.h>
#include <stdlib.h>

int main() {
    int *array = (int *) malloc(10*sizeof(int));

    if (array == NULL) {
        printf("Out of memory!\n");
        return 1;
    }

    /* do something useful here */
    return 0;
}
```

31

## malloc Example

```
int main ()
{
    int x = 11;
    int *p, *q;

    p = (int *) malloc(sizeof (int));
    *p = 66;
    q = p;
    printf ("%d %d %d\n", x, *p, *q);
    x = 77;
    *q = x + 11;
    printf ("%d %d %d\n", x, *p, *q);
    p = (int *) malloc(sizeof (int));
    *p = 99;
    printf ("%d %d %d\n", x, *p, *q);
}
```

```
$/malloc
11 66 66
77 88 88
77 99 88
```

32

## free Example

```
int main ()
{
    int x = 11;
    int *p, *q;
    p = (int *) malloc(sizeof (int));
    *p = 66;
    q = (int *) malloc(sizeof (int));
    *q = *p - 11;
    free(p);
    printf ("%d %d %d\n", x, *p, *q);
    x = 77;
    p = q;
    q = (int *) malloc(sizeof (int));
    *q = x + 11;
    printf ("%d %d %d\n", x, *p, *q);
    p = &x;
    p = (int *) malloc(sizeof (int));
    *p = 99;
    printf ("%d %d %d\n", x, *p, *q);
    q = p;
    free(q);
    printf ("%d %d %d\n", x, *p, *q);
}
```

```
./free
11 ? 55
77 55 88
77 99 88
77 ? ?
```

33

## Summary

- Advanced Structures in C
  - Memory Manipulation in C
  - Pointers & Pointer Arithmetic
  - Parameter Passing
  - Structures
  - Local vs Global Variables
  - Dynamic Memory Management
- Next Week: File I/O in C



- Read Ch.5 & 6 from Kernighan & Ritchie
- HW-1 will be out on Thursday, Sep 2nd and due Sep 9th.

34

## Acknowledgments

- Advanced Programming in the Unix Environment by R. Stevens
- The C Programming Language by B. Kernighan and D. Ritchie
- Understanding Unix/Linux Programming by B. Molay
- Lecture notes from B. Molay (Harvard), T. Kuo (UT-Austin), G. Pierre (Vrije), M. Matthews (SC), and B. Knicki (WPI).

35